Docket No.: 61538-012

<u>PATENT</u>

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Ganesan THIAGARAJAN

Serial No.: 09/966,103

Group Art Unit: 2121

Filed: October 01, 2001

Examiner:

For:

PRECISION COMPLEX SINUSOID GENERATION USING LIMITED PROCESSING

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents Washington, DC 20231

Sir:

We are in receipt of the Notice to File Corrected Application Papers mailed October 31, 2001.

In response to this Notice, submitted herewith are 8 sheets of substitute drawings in compliance with CFR 1.84. If anything further is needed, please contact the undersigned immediately.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 500417 and please credit any excess fees to such deposit account.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

B. Y. Mathis

Registration No. 44,907

600 13th Street, N.W. Washington, DC 20005-3096 (202) 756-8000 BYM:prp **Date: December 28, 2001**

Facsimile: (202) 756-8087



United States Patent and Trademark Office

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231

www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/966,103

10/01/2001

Ganesan Thiagarajan

61538-012

MCDERMOTT WILL & EMERY

600 13th Street, N.W. Washington, DC 20005-3096 DEC 2 8 2001 W

CONFIRMATION NO. 4789

FORMALITIES LETTER

Date Mailed: 10/31/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be solutioned by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

2

Carried Street

The state

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE